Board of Commissioners

James M. Logan, Chairman:
jlogan@greenlawnwater.org
John T. McLaughlin, Treasurer:
jmclaughlin@greenlawnwater.org
John H. Clark, Secretary:
jclark@greenlawnwater.org
Superintendent
Robert Santoriello
bob@greenlawnwater.org



# ANNUAL WATER SUPPLY REPORT

MAY 2021

The Greenlawn Water District is pleased to present this 2020 Water Quality Report. The report is required to be delivered to all residents of our District in compliance with Federal and State regulations. We are happy to report that our water supply is in full compliance with all Federal, State and County regulations as presented on page 3. Our constant goal is to provide you with a safe and dependable supply of drinking water every day. We also want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. The Board of Commissioners and the District employees are committed to ensuring that you and your family receive the highest quality water.

### SOURCE OF OUR WATER


The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include: microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants.

In order to ensure that our tap water is safe to drink, the State and the EPA prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

The source of water for the District is groundwater pumped from 14 active

wells located throughout the community that are drilled into the Magothy aquifers beneath Long Island, as shown on the figure above. Generally, the water quality of the aquifer is good to excellent, although there are localized areas of contamination. The water from these areas is treated by the District to remove any contaminants prior to the delivery of any water to the consumer. It should also be noted that the District maintains electrical generators at many of our well sites in order to continuously provide water to the community, even during emergency situations such as power outages.

The population served by the Greenlawn Water District during 2020 was 42,000. The total amount of water withdrawn from the aquifer in 2020 was 2.195 billion gallons, of which approximately 93 percent was billed directly to consumers.



#### **COST OF WATER**

The District utilizes a step billing schedule as shown in the table. The average residential consumer is being billed at \$1.05 per 1,000 gallons of water used. Please refer to District website for irrigation water rates.

#### **QUARTERLY WATER RATES - RESIDENTIAL**

Consumption (gallons)	Charges
Up to 10,000	\$16.00 minimum
10,001 - 60,000	\$1.05/thousand gallons
60,001 - 100,000	\$1.45/thousand gallons
Over 100,000	\$1.75/thousand gallons

Copies of a Supplemental Data Package, which includes the water quality data for each of our supply wells utilized during 2020, are available at the Greenlawn Water District office located at 45 Railroad Street, Greenlawn, New York and the Commack, Elwood and Harborfields Public Libraries.

We at Greenlawn Water District work around the clock to provide top quality water to every tap throughout the community. We ask that all our customers help us protect our water resources, which are the heart of our community, our way of life and our children's future.

### CONTACTS FOR ADDITIONAL INFORMATION

We are pleased to report that our drinking water is safe and meets all Federal and State requirements. If you have any questions about this report or the Greenlawn Water District, please contact Water District Superintendent Robert Santoriello at (631) 261-0874 or the Suffolk County Department of Health Services at (631) 852-5810. We want our residents to be informed about our water system. Major issues concerning the Greenlawn Water District can be discussed at the regularly scheduled District meetings. They are normally held on Wednesday at 9:00 a.m. at the District Office, 45 Railroad Street, Greenlawn.

The Greenlawn Water District routinely monitors for different parameters and possible contaminants in your drinking water as required by Federal and State laws. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some impurities. It's important to remember that the presence of these impurities does not necessarily pose a health risk. For more information on contamination and potential health risks, please contact the USEPA Safe Drinking Water Hotline at 1-800-426-4791 or www. epa.gov/safewater.

Some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

Water from some of the wells within the Greenlawn Water District have a slightly elevated nitrate level. This level is below the maximum contaminant level of 10.0 parts per million. Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. The source of the nitrates is the nitrogen in fertilizers and from on-site septic systems. If you are caring for an infant, you should ask advice from your health care provider.

During 2019, the District collected 35 samples for lead and copper. The next round of samples will occur in 2022. If present, elevated levels of lead can cause serious health problems, especially for pregnant women, infants, and young children. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. Greenlawn Water District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at http://www.epa.gov/safewater/lead.

#### WATER CONSERVATION MEASURES

In 2020, the Greenlawn Water District continued to implement a water conservation program in order to minimize any unnecessary water use. The pumpage for 2020 was 9.75 percent more than in 2019. This increase can most likely be attributed to the relatively hotter and drier weather in 2020 compared to 2019.

Residents are urged to implement their own water conservation measures such as retrofitting plumbing fixtures with flow restrictors, modifying automatic lawn sprinklers to include rain sensors, repairing leaks in the home, installing water conservation fixtures/appliances and maintaining a daily awareness of water conservation in their personal habits. Besides protecting our precious underground water supply, water conservation will produce a cost savings to the consumer in terms of both water and energy bills (hot water).

### WATER TREATMENT

The Greenlawn Water District provides treatment at all of its wells to improve the quality of the water pumped prior to distribution to the consumer. The pH of the pumped water is adjusted upward to reduce the corrosive action between the water and water mains and in-house plumbing by the addition of sodium hydroxide. Granular activated carbon filters are also installed at Plant Nos. 3, 8, 11 and 13 to treat potable water for the removal of volatile organic compounds. An air stripping treatment facility is in service at Plant No. 12, also for the removal of volatile organic compounds.

Beginning in June 2010, the District also started to add a small amount of chlorine as a disinfecting agent to prevent the growth of bacteria in the distribution system.

The District is in the design phase of installing a wellhead treatment system at Plant No. 12 for the removal of 1,4-Dioxane. This system should be on-line by the summer of 2022.

### INFORMATION FOR NON-ENGLISH SPEAKING RESIDENTS

Spanish: Este informe contiene información muy importante sobre su agua beber. Tradúzcalo ó hable con alguien que lo entienda bien.

# 2020 DRINKING WATER QUALITY REPORT - TABLE OF DETECTED PARAMETERS

Contaminants	Violation (Yes/No)	Date of Sample	Level Detected (Maximum Range)	Unit Measurement	MCLG	Regulatory Limit (MCL or AL)	Likely Source of Contaminant
Inorganic Contaminants							
Lead	No	September 2019	ND - 5.2 2.1 <sup>(1)</sup>	ug/L	0	AL = 15	Corrosion of household plumbing systems; Erosion of natural deposits
Copper	No	September 2019	0.019 - 0.39 0.22 <sup>(1)</sup>	mg/L	1.3	AL = 1.3	Corrosion of household plumbing systems; Erosion of natural deposits
Barium	No	01/22/20	0.0029 - 0.017	mg/L	2	MCL = 2.0	Naturally occurring
Calcium	No	01/22/20	1.3 - 16.2	mg/L	n/a	NO MCL	Naturally occurring
Zinc	No	01/22/20	ND - 0.031	mg/L	n/a	MCL = 5	Naturally occurring
Sodium	No	08/12/20	3.4 - 32.7	mg/L	n/a	No MCL <sup>(2)</sup>	Naturally occurring
Chloride	No	01/23/20	3.6 - 38.7	mg/L	n/a	MCL = 250	Naturally occurring
Iron	No	01/23/20	ND - 160	ug/L	n/a	MCL = 300	Naturally occurring
Ammonia	No	01/22/20	ND - 0.14	mg/L	None	No MCL	Runoff from fertilizer and leaching from septic tanks and sewage
Nitrate	No	07/16/20	0.82 - 9.5	mg/L	10	MCL = 10	Runoff from fertilizer and leaching from septic tanks and sewage
Nickel	No	01/23/20	ND - 3.7	ug/L	n/a	MCL = 100	Naturally occurring
Sulfate	No	01/22/20	ND - 36.0	mg/L	n/a	MCL = 250	Naturally occurring
Manganese	No	01/22/20	ND - 31.0	ug/L	n/a	MCL = 300 <sup>(3)</sup>	Naturally occurring
Magnesium	No	01/22/20	0.64 - 7.4	mg/L	n/a	NO MCL	Naturally occurring
Hexavalent Chromium	No	07/16/20	ND - 2.0	ug/L	n/a	No MCL <sup>(4)</sup>	Natural deposits and industrial discharge
Specific Conductivity	No	08/12/20	36.0 - 259.0	umhos/cm	n/a	No MCL	Naturally occurring
Volatile Organic Contaminants							
1,1,1-Trichloroethane	No	11/25/20	ND - 0.61	ug/L	0	MCL = 5	Industrial/Commercial discharge
Tetrachloroethene	No	10/14/20	ND - 3.2	ug/L	0	MCL = 5	Industrial/Commercial discharge
1,1,2-Trichlorotrifluoroethane	No	04/15/20	ND - 0.75	ug/L	0	MCL = 5	Industrial/Commercial discharge
Trichloroethene	No	10/14/20	ND - 2.8	ug/L	0	MCL = 5	Industrial/Commercial discharge
1,1-Dichloroethane	No	11/25/20	ND - 1.5	ug/L	0	MCL = 5	Industrial/Commercial discharge
1,1-Dichloroethene	No	11/25/20	ND - 0.67	ug/L	0	MCL = 5	Industrial/Commercial discharge
cis-1,2-Dichloroethene	No	10/14/20	ND - 1.9	ug/L	0	MCL = 5	Industrial/Commerical discharge
1,2,3-Trichloropropane	No	11/25/20	ND - 0.72	ug/L	0	MCL = 5	Industrial/Commerical discharge
MTBE	No	10/15/20	ND - 0.61	ug/L	0	MCL = 10	Released from gasoline storage tanks. Former gasoline additive.
1,4-Dioxane	No	07/16/20	ND - 1.1 <sup>(5)</sup>	ug/L	n/a	MCL = 1.0	Industrial/Commercial discharge(6)(7)
Disinfection By-Products							
Trihalomethanes (THMS)	No	01/23/20	ND - 6.6	ug/L	0	MCL = 80	Disinfection By-Products
Radionuclides							
Gross Alpha	No	07/16/20	1.58	pCi/L	n/a	MCL = 15	Naturally occurring
Gross Beta	No	07/16/20	2.62	pCi/L	n/a	MCL = 50	Naturally occuring
Combined Radium 226 & 228	No	07/16/20	1.43 - 2.86	pCi/L	n/a	MCL = 5 <sup>(8)</sup>	Naturally occurring
Uranium	No	07/16/20	0.79	ug/L	n/a	MCL = 30	Naturally occurring
Unregulated Contaminant Monitoring Rule							
HAA5	No	01/29/19	ND - 0.6	ug/L	n/a	MCL = 60	Disinfection By-Product
HAA9	No	01/29/19	ND - 0.6	ug/L	n/a	No MCL	Disinfection By-Product
Perfluorinated Chemicals(10)							
Perfluorobutanesulfonic Acid	No	07/22/20	ND - 2.8	ng/L	n/a	MCL = 50,000	Released into the environment from widespread use in commercial and industrial applications
Perfluoroheptanoic Acid	No	10/15/20	ND - 3.6	ng/L	n/a	MCL = 50,000	Released into the environment from widespread use in commercial and industrial applications
Perfluorohexanesulfonic Acid	No	07/22/20	ND - 15.8 <sup>(11)</sup>	ng/L	n/a	MCL = 50,000	Released into the environment from widespread use in commercial and industrial applications
Perfluorooctanesulfonic Acid (PFOS)	No	07/22/20	ND - 28.6 <sup>(11)</sup>	ng/L	n/a	MCL = 10 <sup>(12)</sup>	Released into the environment from widespread use in commercial and industrial applications
Perfluorooctanoic Acid (PFOA)	No	10/15/20	ND - 4.1	ng/L	n/a	MCL = 10 <sup>(12)</sup>	Released into the environment from widespread use in commercial and industrial applications
Bacteriologicals							
Total Coliform (13)	No	10/06/20 11/10/20	2 positive sample out of 608 annual samples	Positive or Negative	n/a	MCL = Positive results in more than 5% of the monthly samples	Commonly found in the environment

Maximum Contaminant Level (MCL). The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

Maximum Contaminant Level (MCL)—The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLCs as feasible.

Maximum Contaminant Level Goal (MCLG)—The level of a contaminant in drinking water below which there is no known or expected risk to health. McLGs allow for a margin of safety.

Action Level (AL)—The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow. Health Advisory (HA)—An estimate of acceptable drinking water levels for a chemical substance based on health cities information; a health advisory is not a legally enforceable Federal standard, but serves as technical guidance to assist Federal, State and local officials.

Milligrams per Hiter (mg/L)—Corresponds to one part of liquid in one million parts of liquid (parts per million).

Micrograms per Hiter (mg/L)—Corresponds to one part of liquid in one trillion parts of liquid (parts per billion – ppb).

Nanograms per Hiter (mg/L)—Corresponds to one part of liquid in one trillion parts of liquid (parts per trillion – ppt).

Micrograms per Hiter (mg/L)—Corresponds to one part of liquid in one trillion parts of liquid (parts per trillion – ppt).

Micrograms per Hiter (mg/L)—Corresponds to one part of liquid in one trillion parts of liquid (parts per trillion – ppt).

Micrograms per Hiter (mg/L)—Corresponds to one part of liquid in one trillion parts of liquid (parts per trillion – ppt).

Micrograms per Hiter (mg/L)—Corresponds to one part of liquid in one trillion parts of liquid (parts per trillion – ppt).

Micrograms per Hiter (mg/L)—Corresponds to one part of liquid in one trillion parts of liquid (parts per trillion – ppt).

Micrograms per Hiter (mg/L)—Corresponds to one part of liquid in one trillion parts of liquid (parts per trillion – ppt).

Micrograms per Hiter (mg/L)—Corresponds to one part of liquid in one trillion parts of liquid (parts per trillion – ppt).

Micrograms per Hiter (mg/L)—Corresponds to one part of liquid in one trill

- <sup>61</sup>No MCL has been established for sodium. However, 20 mg/L is a recommended guideline for people on high restricted sodium diets and 270 mg/L for those on moderate sodium diets.

  <sup>61</sup>If roin and manganese are present, the total concentration of both should not exceed 500 ug/L.

  <sup>63</sup>MCL of 100 ug/L is for Total Chromium. There is no MCL for Hexavalent Chromium.

  <sup>63</sup>Highest test result of 1.1 ug/L from Well No. 12 taken before new MCL testablished on August 26, 2020. Well No. 12 has been taken off-line and is not in service.

- 69Highest test result of 1.1 ug/L from Well No. 12 taken before new MCL established on August 26, 2020. Well No. 12 has been taken off-line and is not in service.
  60.1.4-Dioxane The New York State (NYS) proposed MCL for 1.4-dioxane is 1 part per billion (ppb).
  70.1 it is used as a solvent for cellulose formulations, resins, oils, waxes and other organic substances. It is also used in wood pulping, textile processing, degreasing, in lacquers, paints, varnishes, and stains; and in paint and varnish removers.
  70.1 MCL for Raddum is for Radium 226 combladium 228 combliant 238 combliant and varnish removers.
  70.1 MCL for Raddum is for Radium 226 and Raddum 228 combliant and varnish removers.
  70.1 MCL for Raddum is for Radium 226 and Raddum 228 combliant is their source water for 1 year. Results will be used by the USEPA to determine if the contaminants need to be regulated in the future.
  70.1 Per Chas been used to make carpets, leathers, textiles, fabrics for furniture, paper packaging, and other materials that are resistant to water, grease, or stains. It is also used in freighting foams at airfields. Many of these uses have been phased out by its primary U.S. manufacturer; however, there are still some ongoing uses.
  70.2 Sample collected on 07/2220 from Well No. 14 reported elevated levels of PFCs. Although this result predated the 8/26/2020 effective date of this MCL, the District has concluded that these lab results are in error since three quarterly samples after July 2020 indicated non-detectable levels of PFCs.
  71.2 The USE District has concluded that these lab results are in error since three quarterly samples after July 2020 indicated non-detectable levels of PFCs.
  72.2 The USE District has concluded that these lab results are in error since three quarterly samples after July 2020 indicated non-detectable levels of PFCs.
  72.2 The USE Distriction of the Common that the proper of PFCs. A labough this proper proper proper proper propers

# WATER QUALITY

In accordance with State regulations, the Greenlawn Water District routinely monitors your drinking water for numerous parameters. We test your drinking water for coliform bacteria, turbidity, inorganic contaminants, lead and copper, nitrate, volatile organic contaminants, total trihalomethanes and synthetic organic contaminants. As listed in this newsletter, over 135 separate parameters are tested for in each of our wells numerous times per year. The table presented on page 3 depicts which parameters or contaminants were detected in the water supply. It should be noted that many of these parameters are naturally found in all Long Island drinking water and do not pose any adverse health effects.

### SOURCE WATER ASSESSMENT

The NYSDOH, with assistance from the local health department, has completed a source water assessment for this system, based on available information. Possible and actual threats to this drinking water source were evaluated. The source water assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how rapidly contaminants can move through the subsurface to the wells. The susceptibility of a water supply well to contamination is dependent upon both the presence of potential sources of contamination within the well's contributing area and the likelihood that the contaminant can travel through the environment to reach the well. The susceptibility rating is an estimate of the potential for contamination of the source water, it does not mean that the water delivered to consumers is, or will become contaminated. Please refer to section "Water Quality" for a list of the contaminants that have been detected. The source water assessments provide resource managers with additional information for protecting source waters into the future.

As mentioned before, our water is derived from 14 drilled wells. The source water assessment has rated most of the wells as having a high susceptibility to industrial solvents and nitrates. The elevated susceptibility to nitrates is due primarily to point sources of permitted discharge facilities (industrial/commercial facilities that discharge wastewater into the environment and are regulated by the state and/or federal government), and activities associated to unsewered residential land use and activities, such as fertilizing lawns. The susceptibility to industrial solvents is primarily due to point sources of contamination related to transportation routes and commercial/industrial activities in the assessment area.

A copy of the assessment, including a map of the assessment area, can be reviewed by contacting the District Office.

The Greenlawn Water District conducts over 1,000 water quality tests throughout the year, testing for over 130 different contaminants which have been undetected in our water supply including:

Cadmium	Dicamba	Bromochloromethane		
Mercury	Pentachlorophenol	1,1-Dichloropropene		
Selenium	Hexachlorocyclopentadiene	1,2-Dichloroethane		
Silver	bis(2-Ethylhexyl)adipate	Dibromomethane		
Color	Hexachlorobenzene	Trans-1,3-Dichloropropene		
Turbidity	Benzo(A)Pyrene	cis-1,3-Dichloropropene		
Odor	Aldicarb Sulfone	Carbon Tetrachloride		
Ammonia	Aldicarbsulfoxide	1,3-Dichloropropane		
Zinc	Aldicarb	Chlorobenzene		
Total Alkalinity	Total Aldicarbs	1,1,1,2-Tetrachloroethane		
Total Dissolved Solids	Oxamyl	1,2,3-Trichloropropane		
Detergents (MBAS)	Methomyl	Bromobenzene		
Free Cyanide	3-Hydroxycarbofuran	1,1,2,2-Tetrachloroethane		
Antimony	Carbofuran	2-Chlorotoluene		
Beryllium	Carbaryl	4-Chlorotoluene		
Thallium	Glyphosate	1,2-Dichlorobenzene		
Lindane	Diquat	1,3-Dichlorobenzene		
Heptachlor	Endothall	1,4-Dichlorobenzene		
Aldrin	1,2-Dibromoethane (EDB)	1,2,4-Trichlorobenzene		
Heptachloro Epoxide	1,2-Dibromo-3-Chl.Propane	Hexachlorobutadiene		
Dieldrin	Dioxin	1,2,3-Trichlorobenzene		
Endrin	Chloroacetic Acid	Benzene		
Methoxychlor	Bromoacetic Acid	Toluene		
Toxaphene	Dichloroacetic Acid	Ethylbenzene		
Chlordane	Trichloroacetic Acid	M,P-Xylene		
Total PCBs	Dibromoacetic Acid	O-Xylene		
Propachlor	Total Haloacetic Acid	Styrene		
Alachlor	Gross Beta	Isopropylbenzene (Cumene)		
Simazine	Dichlorodifluoromethane	N-Propylbenzene		
Atrazine	Chloromethane	1,3,5-Trimethylbenzene		
Metolachlor	Vinyl Chloride	Tert-Butylbenzene		
Metribuzin	Bromomethane	1,2,4-Trimethylbenzene		
Butachlor	Chloroethane	Sec-Butylbenzene		
2,4-D	Trichlorofluoromethane	4-Isopropyltoluene (P-Cumene)		
2,4,5-TP (Silvex)	Chlorodifluoromethane	N-Butylbenzene		
Dinoseb	Methylene Chloride	Fluoride		
Dalapon	Trans-1,2-Dichloroethene	1,1,2-Trichloro-1,2,3-Triflouroethane		
Picloram	2,2-Dichloropropane	Nitrite		
Perchlorate	Chromium	Manganese		
1.2Dichloroethane	1,2-Dichloropropane			

### EMERGING CONTAMINANTS - MCL DEFERRAL

When a public water system (PWS) is issued a deferral, the water system agrees to a schedule for corrective action and compliance with the new PFOS, PFOA or 1,4-dioxane MCLs. In exchange, the New York State Department of Health (the Department) agrees to defer enforcement actions, such as assessing fines, if the PWS is meeting established deadlines. Deferral recipients are required to update the Department and the Suffolk County Department of Health Services each calendar quarter on the status of established deadlines. The Department can resume enforcement if the agreed upon deadlines are not met. Information about our deferral and established deadline can be found at the following site: http://www.greenlawnwater.org/wp-content/uploads/2021/01/GWD-Deferral-Public-Notification\_Greenlawn.pdf. and http://www.greenlawnwater.org/wp-content/uploads/2021/04/21.04.08-GLWD-First-Quarter-Update.pdf.